

## Sustainability Declaration for NUK for Nature baby bottle (150 ml and 260 ml) for plastic parts\*

MAPA GmbH  
Industriestraße 21-25  
27404 Zeven  
GERMANY



### General Information

<b>Date of issue:</b>	2024-07-05
<b>Certification system:</b>	ISCC PLUS
<b>Certificate number:</b>	ISCC-PLUS-Cert-DE143-33300514

### Product related information

<b>Product:</b>	NUK for Nature baby bottle (150 ml and 260 ml)
<b>Type of product:</b>	baby care products
<b>Raw material:</b>	polypropylene (PP)
<b>Raw material category:</b>	bio (for bottle body and protective cap) bio-circular (for all other plastic parts)
<b>Total quantity certified material (kg):</b>	0.0521 kg (150 ml bottle), 0.0601 kg (260 ml bottle)
<b>Total quantity of delivery (kg):</b>	0.0677 kg (150 ml bottle), 0.0757 kg (260 ml bottle)
<b>Percentage of certified material:</b>	76.96 % (150 ml bottle), 79.39 % (260 ml bottle) (of the total quantity of delivery)
<b>Type of recycling operations (bio-circular):</b>	<input checked="" type="checkbox"/> Chemical <input type="checkbox"/> Mechanical <input type="checkbox"/> Not applicable
<b>Waste status (bio-circular):</b>	<input type="checkbox"/> Post-consumer material <input checked="" type="checkbox"/> Pre-consumer material <input type="checkbox"/> mixed/unspecified

### Chain of Custody

<b>Chain of custody option:</b>	mass balance
<b>Mass balance option:</b>	attribution determined by mass
<b>Multi-side credit transfer:</b>	<input type="checkbox"/> No <input checked="" type="checkbox"/> Yes for material with raw material category bio

### Sustainability Criteria

- ☒ ISCC compliant
- ☒ The raw material (bio) complies with the sustainability criteria according to the ISCC requirements as laid down in ISCC System Document(s) 202 "Sustainability Requirements"
- ☒ The raw material (circular/bio-circular) meets the definition of waste or residues, i. e. was not intentionally produced and modified, or contaminated, or discarded, to meet the definition of waste or residues

\*for silicones see REDcert<sup>2</sup> certificate